LARZEP HYDRAULIC

WA

ALUMINIUM HAND PUMPS



- **Maximum working pressure 700 bar.**
- **For use with single-acting cylinders.**
- **Lightweight aluminium pumps.**
- **Two speed models.**
- **Hydraulic outlet port: 3/8”-NPT female.**
- **Fitted with external safety valves.**

Performance under Pressure

HYDRAULIC ALUMINIUM HAND PUMPS

Aluminium Hand Pump 2800 bar, WA21028.

LARZEP advantages

- WA series pumps are for use with single-acting cylinders.
- Lightweight aluminium pumps, ideal for easy portability and handling.
- Two speed models to provide rapid cylinder advance until contact is made with the load.
- Hydraulic outlet port: 3/8”-NPT female.
- Fitted with external safety valves to prevent overpressure.
- Fitted with handle clip for easy of carrying.

Pressure Gauges.

Couplers.

Hydraulic Steel Hand Pumps W-Series and X-Series.

HYDRAULIC HAND PUMPS

WA

0,5-1,1 litres

700 bar

PUMPS





Model	A	B	C	D	E	F	G	H	J	K	L	R
LARZEP	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	"
WA20507	361	140	141	51	435	124	295,0	108	11,2	10	11,2	3/8"-NPT
WA21107	556	140	141	51	625	124	489,5	108	11,2	10	11,2	3/8"-NPT

Model	Usable oil	Handel effort	Oil displacement per stroke (cm^3)		Pressure rating (bar)		Weight
LARZEP	cm^3	kg	1st Stage	2nd Stage	1st Stage	2nd Stage	kg
WA20507	500	29	**13,4**	**2,6**	**20**	**700**	3,7
WA21107	1.100	43	**15,0**	**3,1**	**20**	**700**	5,0

Larzep SA - Avda. Urtiaga 6 - 48269 Mallabia (Bizkaia) - Spain
www.larzep.com - info@larzep.com - T: +34 943 17 12 00

34-006 EN 09-2016 © Larzep - Subject to change without notice.

Performance under Pressure